

112968

PRESTON PANTS

Production

Preston Pant - M

GA&SM-Catalog

GA&SM Style Folders

Fabric Content

53Recycled
Polyester/42Wool/5Lycra

Approved

HL 1-31-2007

Gender

Male

Fabric Code

WOVEN

Size Range

28-54

Product Line

Success Apparel - SUCC

Model #


N/A

Project #

Catalog Product



Grommets	None	Design Sample Due Date		Job Function	Tailored
Grommets Plcmnt		Costing Due Date		Monogram	None
Customization	None	Presentation Due Date			
Customization Plcmnt		Date Submitted			
Badge Tab	None	Designer	Michelle Dortch		
Badge Tab Plcmnt		Design Assistant	N/A		
Badge Loop	None	Technical Designer	Han Loc		
Badge Loop Plcmnt		Tech Design Assistant			
Garment Care	BagirCare1MWCG or DC	Program Manager	N/A		
Packaging Instructions	Flat Pack	Sales Rep	N/A	DMM	Donna Knechtel



STYLING FEATURES:

- * Flat Front
- * Quarter Top Pockets
- * Watch Pocket Right Waistline
- * Curtain Waistband
- * Belt Loop
- * Fly Front Closure w/ Hook & Eye
- * Besom Back Hip Pockets w/Buttohole & button closure left only
- * Unhemmed Bottom


PACKAGING:

- *Folded on hanger and hanging polybag.
- *Shipped folded in Box.

COLORS:

- *Black - 35
- *Navy - 20

Revision History

GA&SM-Catalog	GA&SM Style Folders	Fabric Content	53Recycled Polyester/42Wool/5Lycra	
Neither approved nor rejected	Page was edited.			
Gender	Male	Fabric Code	WOVEN	
Size Range	28-54	Product Line	Success Apparel - SUCC	
Model #	N/A	Project #	Catalog Product	
[1] -- Revision - Revision - 8-02-2011 Re-Engineering Project Change the sliding Hook & Bar to Regular Hook & Bar. Remove Back Right Pocket Button. HL .		[10] -- Revision - Revision - Revision Description: Added Card Board 10x12 for flat pack packaging. CD User Defined 1: KG CD User Defined 2: 9-24-08 CD User Defined 3: per DK/KHS		
[2] - Revision Description: - 7-21-11 Updated content and rolling change on care instructions now posted. Per vendor/DK KG		[11] -- Revision - Revision - Revision Description: Added new D&A labels, ps sticker page, comp pages per vendor request. CD User Defined 1: KG CD User Defined 2: 8/1/08 CD User Defined 3: per DK/KS/vendor request		
[3] -- Revision - 1-27-2010 Updated Eco HT to 54% Recycled HT. CD User Defined 1: per vendor/DK CD User Defined 2: KG		[12] -- Revision - Revision - Revision Description: Added Colorway Charcoal 33 to style. CD User Defined 1: KG CD User Defined 2: 7/2008 CD User Defined 3: per DK/KH		
[4] -- Revision - Revision - Revision Description: 12-30-2009 Updated Bagir Care 1MWWG or DC to Bagir Care 1 MWCG or DC. CD User Defined 1: per vendor/DS CD User Defined 2: KG		[13] - Revision Description: - Revision Belt Loop Placement from 8 Loops to 7 Loops. CD User Defined 1: H. Loc CD User Defined 2: 9/11/2007 CD User Defined 3: Per Donna Knechtel		
[5] -- Revision - Revision - Revision Description: 12-30-09 Updated comp page with pocketing info for bags and fly. CD User Defined 1: per HL CD User Defined 2: KG				
[6] -- Revision - Revision - Revision Description: 12-30-09 Added Eco Hang Tag CD User Defined 1: per vendor/DK CD User Defined 2: KG				
[7] -- Revision - Revision - Revision Description: 8-27-09 Added Sewing Recommendations for vendor, and care instructions have been revised to "Warm" to "Warm Steam Iron if Needed". Need a temperature noted for this steam. CD User Defined 1: per DS/SO/TR CD User Defined 2: KG				
[8] -- Revision - Revision - Revision Description: 12-4-08 Changed abbreviated content to full content content description in com page. Added full content description on notes section of front page. CD User Defined 1: per DS CD User Defined 2: KG				
[9] -- Revision - Revision - Revision Description: 11-10-08 Changed content from 55RP/42W/3L to 54RP/32W/4S. CD User Defined 1: per KH CD User Defined 2: KG				

GA&SM-Catalog

Neither approved nor rejected

Gender

Size Range

Model #

GA&SM Style Folders

Page was edited.

Male

28-54

N/A

Fabric Content

Fabric Code

Product Line

Project #


53Recycled



Polyester/42Wool/5Lycra


WOVEN

Success Apparel - SUCC


Catalog Product


**BELT LOOP PLACEMENT
(7 BELT LOOPS)**
FOR FLAT FRONT PANTS:

FOR PLEATED FRONT PANTS:

 1 belt loop on each 1st front
 pleat towards center front.

 1 belt loop centered over CB seam;
 1 belt loop on each side seam towards back panel;
 1 belt loop centered between side seam & center back.

NOTE: Sketch may not be reflective of style details.
**SETTING BELT LOOPS
(PANTS WITH CB LETOUT)**

NOTE: CB Loop is top-applied.

- (1) Position belt loop end 1/8" below waistband & SNL tack on the right side at waistband.
- (2) Fold loop down & bar tack across loop 1/2" below waistband.
- (3) Fold loop up & press flat.
- (4) Bar tack loop at top of waistband.



- (1) Set belt loops in waistband seam **(except at CB)**.
- (2) Bar tack across loop 1/2" below waistband.
- (3) Fold loop up & press flat.
- (4) Bar tack loops at top of waistband.

NOTE: Sketch may not be reflective of style details.

112968		PRESTON PANTS		Production
Sewing Recommendations				
GA&SM-Catalog	GA&SM Style Folders	Fabric Content	53Recycled Polyester/42Wool/5Lycra	
Neither approved nor rejected				
Gender	Male	Fabric Code	WOVEN	
Size Range	28-54	Product Line	Success Apparel - SUCC	
Model #	N/A	Project #	Catalog Product	

Pants/Slacks/Skirts - General Sewing/Machinery/Thread/Needle Recommendations:

- Recommend factories to switch to ISO 401 on sideseam and inseam and continue tandem needle seaming with 401 on the seatseam.
- Begin using Tex 24 or Tex 30 Perma Core (Poly Wrap Poly Core) for all needle positions on stress seams.
- Blindstitch operators need to overlap their start/stop points on the inseam by at least 3/4" of an inch.
- Operators should be aware not to turn the handwheel on the machines backwards as they get ready to trim the thread as this will leave the thread in an " Unlocked Position".
- Recommend lockstitch buttonsew using ISO 304 only.
- Recommend Tex 24 or Tex 30 Perma Core (Poly Wrap Poly Core) for both needle and bobbin on the buttonsew. This will help to avoid button failure due to abrasion of the rough button edges cutting the thread as the Perma Core has a much better abrasion resistance.
- If you experience button failure after switching to Perma Core the next step is to use a Tex 30 or 45 Anafil Nylon.

GA&SM-Catalog	GA&SM Style Folders	Fabric Content	53Recycled Polyester/42Wool/5Lycra
Neither approved nor rejected	Page was edited.		
Gender	Male	Fabric Code	WOVEN
Size Range	28-54	Product Line	Success Apparel - SUCC
Model #	N/A	Project #	Catalog Product

COMPONENT INFORMATION FOR FULL PACKAGE / FULL PACKAGE MANAGED TECHNICAL PACKAGES

Preston Pnts 112968				
Main Fabric	AA - Charcoal	AA - Navy	AA - Black	AD
Raw Material Vendor Name:	N/A	N/A	N/A	Not applicable
Raw Material Ref. #	N/A	N/A	N/A	
Raw Material Description:				
Raw Material Vendor Style #:				
Raw Material Content:	53%Recycled Polyester/ /42%Wool/5%Lycra	53%Recycled Polyester/ /42%Wool/5%Lycra	53%Recycled Polyester/ /42%Wool/5%Lycra	
Color Number / Name:				
Raw Material Vendor Color #:				
Weight/Construction:				
Yarn Size:				
Cuttable Width:				
Special Finish:				
Directional Design:				
Country Of Origin:				
Lining / Pocketing	BA	BB Pocketing	BC	BD
Raw Material Vendor Name:	Not applicable	Brentex Mills	Not applicable	Not applicable
Raw Material Ref. #		F3660-X-SZ002		
Raw Material Description:		Twill Mesa Pocketing		
Raw Material Vendor Style #:		N/A		
Raw Material Content:		72Polyester/28Cotton		
Color Number / Name:		Black		
Raw Material Vendor Color #:				
Weight/Construction:		78X52		
Yarn Size:		35'S 50/50X150		
Cuttable Width:		67		
Special Finish:		H9999		
Directional Design:		N/A		
Country Of Origin:		US		
		Bags,fly		
Interining / Fusible	CA	CB	CC	CD
Raw Material Vendor Name:	N/A	Not applicable	Not applicable	Not applicable
Raw Material Ref. #	N/A			
Raw Material Description:	Non Woven Fusible			
Raw Material Vendor Style #:	N/A			
Raw Material Content:	N/A			
Color Number / Name:	Coordinate w/fabric			
Raw Material Vendor Color #:	N/A			
Weight/Construction:	N/A			
Yarn Size:	N/A			
Cuttable Width:	N/A			
Special Finish:	N/A			
Directional Design:	N/A			
Country Of Origin:	N/A			

GA&SM-Catalog	GA&SM Style Folders	Fabric Content	53Recycled
Neither approved nor rejected	Page was edited.		Polyester/42Wool/5Lycra
Gender	Male	Fabric Code	WOVEN
Size Range	28-54	Product Line	Success Apparel - SUCC
Model #	N/A	Project #	Catalog Product

COMPONENT INFORMATION FOR FULL PACKAGE / FULL PACKAGE MANAGED TECHNICAL PACKAGES

Preston Pnts 112968

Trims - Buttons, hooks & eyes, zippers, seam tape, cordedge, metal grommets, etc.	Thread	Buttons	Buttons	Binding (all colors)
Raw Material Vendor Name:	A & E	NA	NA	Acker & Jablow
Raw Material Description:	Perma Core Thread.	4-hole Suit	4-hole	Contrast 1/8" Flat Bias binding
Color Number / Name:	DTM	DTM	DTM	Taupe
Ligne/ Size:	NA	24L	24L	1/8" Finished wide
Quantity:	NA	1	1	
Placement:		Back Pocket closure	inside fly closure	insert in curtain
Trims - Buttons, hooks & eyes, zippers, seam tape, cordedge, metal grommets, etc.	Zippers	Reinforcement Tape	Waistband	Hook & Bar
Raw Material Vendor Name:	YKK	Universal Fasteners	NA	Bagir/
Raw Material Description:	Dress Zipper	Reinfor Tape for pnts hk	NA	regular
Color Number / Name:	DTM	White	Coordinate w/fabric	NA
Ligne/ Size:	7" for size 34	7/8"	NA	NA
Quantity:	1			1
Trims - Buttons, hooks & eyes, zippers, seam tape, cordedge, metal grommets, etc.				
Raw Material Vendor Name:				
Raw Material Description:				
Color Number / Name:				
Ligne/ Size:				
Quantity:				

COMPONENT INFORMATION FOR FULL PACKAGE / FULL PACKAGE MANAGED TECHNICAL PACKAGES

Page 7 of 20

GA&SM-Catalog

Neither approved nor rejected

Gender

Size Range

Model #

GA&SM Style Folders**Male****28-54****N/A**

Fabric Content

Fabric Code

Product Line

Project #

53Recycled**Polyester/42Wool/5Lycra****WOVEN****Success Apparel - SUCC****Catalog Product****CONTENT/CARE/SIZE LABEL****REVERSE SIDE**

The following information must be listed on the reverse side of Care/Content/Size Label:

* Care Instructions

Bagir Care 1 MWCG or DC

Fold Line

Fold Line

Stitch Line

Stitch Line

FOR BEST RESULTS,
MACHINE WASH COLD,
GENTLE CYCLE, NO SPIN CYCLE,
WITH LIKE GARMENTS,
DO NOT BLEACH,
REMOVE PROMPTLY FROM WASHER,
TUMBLE DRY LOW HEAT,
COOL IRON IF NEEDED,
OR
PROFESSIONALLY DRY CLEAN,
DO NOT USE TRICHLOROETHYLENE,
REDUCED MOISTURE, SHORT CYCLE,
NO STEAM FINISHING, LOW HEAT.

CONTENT/CARE LABEL**FACE SIDE**

(MUST BE USED IN COMBINATION WITH SIZE TAB LABEL)

The following information must be listed on the face side of Content/Care Label:

* PO #

* Fabric Content (%) fully spelled out (Do Not Abbreviate!)

* Style # - Color Code

* Cintas RN # 51374

* "Care On Reverse"

CCL1-D&A-NL

Stitch Line

Stitch Line

1 3/16"

LABEL SIZE:

Width = min 1 1/4"

Length = OK to adjust based on
information needed

Fold Line

Fold Line

1 1/4"

PO #.....
62% COTTON
38% POLYESTER
STYLE 112829- 20
RN 51374
CARE ON REVERSE

112968

PRESTON PANTS

Production

D&A Labels' Artwork & Placement

GA&SM-Catalog

Neither approved nor rejected

Gender

Size Range

Model #

GA&SM Style Folders

Male

28-54

N/A

Fabric Content

Fabric Code

Product Line

Project #

53Recycled

Polyester/42Wool/5Lycra

WOVEN

Success Apparel - SUCC


Catalog Product

**EF - DAP - 4**

STITCH LINES

Size: 19mm x 79mm, Face: 67mm

End Fold Label

LP - D&A - ST - 1

Size: 16mm x 40mm, Face: 20mm


Loop Label

NOTE: Follow individual PO for sizes that should be listed on the size tab.

For styles that are offered in different fits (PE, SH, RG LN, XL, TL, etc) - add fit code before size code.

For alpha-sized look alike styles (example: Vests) - add gender code after size code.

Womens fit should be identified by the letter "W" after the size code (Example: 16W).

LABEL EXAMPLES

D&A Labels' Artwork & Placement

GA&SM-Catalog

Neither approved nor rejected

Gender

Size Range

Model #

GA&SM Style Folders

Male

28-54

N/A

Fabric Content

53Recycled
Polyester/42Wool/5Lycra

Fabric Code

WOVEN

Product Line


Success Apparel - SUCC

Project #

Catalog Product



PL - EFB - 3 LABEL PLACEMENT



NOTE: SKETCH IS NOT REFLECTIVE OF STYLE DETAILS.

END FOLD LABEL:

Center End Fold Label on waistband width and SNL stitch vertical ends only, stitch through inner waistband ply only, thread must match label.
Set label to the left of CB seam between CB seam and left dart - not to interfere with belt loops.


CARE/CONTENT LABEL:

Set Care/Content Label in waistband seam directly underneath End Fold Label, center on label width.

SIZE TAB:

SNL set tab in waistband seam on top of Care/Content Label, center on label width.

PL - JKB - 2 JOKER TAG PLACEMENT



NOTE: SKETCH IS NOT REFLECTIVE OF STYLE DETAILS.

JOKER TAG:

Fold and set tag over waistband top edge, center on left back dart, SNL tack (through all layers) at the bottom on each side - tag should not interfere with other labels or belt loops.

112968

PRESTON PANTS

Production

D&A Labels' Artwork & Placement

GA&SM-Catalog

Neither approved nor rejected

Gender

Size Range

Model #

GA&SM Style Folders

Male

28-54

N/A

Fabric Content

Fabric Code

Product Line

Project #

53Recycled

Polyester/42Wool/5Lycra


WOVEN

Success Apparel - SUCC

Catalog Product



JKM - DAP - 2



Size: 3.7165" x 3.9528

Joker Tag

SCORE LINE

DIE CUT

112968

PRESTON PANTS

Production

54% Eco-Bagir Hang Tag

GA&SM-Catalog

Neither approved nor rejected

Gender

Size Range

Model #

GA&SM Style Folders

Male

28-54

N/A

Fabric Content

Fabric Code

Product Line

Project #

53Recycled
Polyester/42Wool/5Lycra

WOVEN

Success Apparel - SUCC

Catalog Product



54% Recycled



Poly Bag Sticker (PS Sticker)

GA&SM-Catalog

Neither approved nor rejected

Gender

Size Range

Model #

GA&SM Style Folders

Male

28-54

N/A

Fabric Content

Fabric Code

Product Line

Project #

53Recycled

Polyester/42Wool/5Lycra

WOVEN

Success Apparel - SUCC

Catalog Product



PSsticker-1

(Poly Bag Sticker - part 1)

PRINTING REQUIREMENTS

PRINT:

Print must be generated on thermal or laser printer.

COPYING LABELS IS NOT ACCEPTED.

Print must be a minimum of 1/4" high; black on white background.

LABEL STOCK SIZE:

Size must be a minimum of 3 1/2" long x 2" high.

LOGO:

No logo can be used.

The information must be printed on plain white stock.

CONTENT REQUIREMENTS

The following should be printed on the label:

- Style Number (6-digit Style Number and Color Code)
- Size (including fit, inseam and/or sleeve length)
- PO Number

Style#	111187-20	min 2"
Size	LN 8	
PO #	1565603	
min 3 1/2"		


PSsticker-2

(Poly Bag Sticker - part 2)

PLACEMENT REQUIREMENTS

FLAT PACK GARMENTS:

place PS sticker in the upper left hand corner of the polybag.




PS sticker

HANGING GARMENTS:

place PS sticker in the upper right hand corner of the polybag (the left shoulder as if you were wearing the garment).

The hanger hook opening must face the left corner.



PS sticker

Bagir's old Label Artwork, Placement

GA&SM-Catalog

Neither approved nor rejected

Gender

Size Range

Model #

GA&SM Style Folders

Male

28-54

N/A

Fabric Content

Fabric Code

Product Line

Project #

53Recycled
Polyester/42Wool/5Lycra


WOVEN

Success Apparel - SUCC

Catalog Product



LABEL PLACEMENT



Endfold Label SNL stitched to Waistband, with care label inserted at bottom edge of Endfold.



112968

PRESTON PANTS

Production

Bagir's old Label Artwork, Placement

GA&SM-Catalog

Neither approved nor rejected

Gender

Size Range

Model #

GA&SM Style Folders

Male

28-54

N/A

Fabric Content

Fabric Code

Product Line

Project #

53Recycled
Polyester/42Wool/5Lycra

WOVEN

Success Apparel - SUCC

Catalog Product



BAGIR COLLECTION END FOLD LABEL



COLOR: Black/Grey/Red

Folding & Packaging: Tailored Pants/Slacks

GA&SM-Catalog

Neither approved nor rejected

Gender

Size Range

Model #

GA&SM Style Folders

Male

28-54

N/A

Fabric Content

53Recycled
Polyester/42Wool/5Lycra

Fabric Code

WOVEN

Product Line


Success Apparel - SUCC

Project #

Catalog Product



FLD-BOTTOMS-3



- Step. 1 Align pants seam on seam; tuck center front closure to the inside;
 Step. 2 Fold pants in half (Fold Line1) over the 10" x 12" folding board;
 Step. 3 Fold pants in half again (Fold Line2);
 Step. 4 Place pants in clear poly bag (See BOM for poly bag dimensions.).
 Step. 5 On larger sizes, fold waistband over at back dart or enough to allow the pant to fit into the bag.

NOTE: FOLDING BOARD REMAINS PART OF THE PACKAGING FOR SHIPPING, TO ENSURE GARMENTS REMAINS NEATLY FOLDED IN POLY BAG.

NOTE: Sketches not reflective of style details.

112968

PRESTON PANTS

Production

Incremental & Graded Worksheets

GA&SM-Catalog

GA&SM Style Folders

Fabric Content

53Recycled Polyester/42Wool/5Lycra

Neither approved nor rejected

Gender

Male

Fabric Code

WOVEN

Size Range

28-54

Product Line

Success Apparel - SUCC

Model #

N/A

Project #

Catalog Product



Selected Range: 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60

[illegible]

112968

PRESTON PANTS

Production

Incremental & Graded Worksheets

GA&SM-Catalog

GA&SM Style Folders

Fabric Content

53Recycled Polyester/42Wool/5Lycra

Neither approved nor rejected

Gender

Male

Fabric Code

WOVEN

Size Range

28-54

Product Line

Success Apparel - SUCC

Model #

N/A

Project #

Catalog Product



Selected Range: 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60

[illegible]